

- 100 Edward Street Corowa NSW 2646
- PO Box 77, Corowa NSW 2646
- **(**02) 6033 8999
- @ council@federationcouncil.nsw.gov.au

APPLICATION FOR APPROVAL TO DISCHARGE LIQUID TRADE WASTE FORM C6

APPLICATION ATTACHMENT SHEET

SEPTIC TANK WASTE, PAN WASTE, SHIP-TO-SHORE PUMP-OUT WASTE APPLICATION ATTACHMENT SHEET

This form is to be used by businesses that wish to discharge Concurrence Classification S liquid trade wastes to the sewerage system. Please include all details as requested (if insufficient space attach clearly labelled appendices), and make sure you read the section on substances that must not be discharged to the sewerage system.

When finished, attach this sheet to the application form C1.

A. TYPE OF WASTE		
Septic tank waste		
☐ Septic Tank Effluent	☐ Septage	
Pan content waste		
☐ Caravan Park/Mobile homes		
☐ Portable chemical toilet (building/event sites/bus/train)		
Pump out from boat/marines		
☐ Liquid galley waste	☐ Toilet waste	
☐ Dock cleaning waste		
B. HOURS OF DAYS DURING WHICH DISCHARGE WILL NORMALLY TAKE PLACE		
Monday to Friday: to		
Saturday:to		
Sunday:to		
C. ODOUR INHIBITING AND OTHER CHEMICALS USED		
Material Safety Data Sheets must be provided		
Name of chemical added:		
Dosage Rate:		

D. PROPOSED METHOD OF WASTE VOLUME MEASUREMENT
E. PROPOSED METHOD OF DISCHARGE INCLUDING PLANS AND DRAWINGS IF APPROPRIATE
F. INFORMATION ON A DISPOSAL POINT, SITE PLAN AND DRAWINGS IF APPLICABLE
C ODEN ADEAC
G. OPEN AREAS
Please attached stormwater drainage plans for this site. Does the proposed installation contain open areas that will drain to the sewerage system?
☐ YES ☐ NO
LI YES LINO
If YES, please give details:
Stormwater is prohibited from being discharged into the council's sewerage system, The capacity for such flows is not provided in
the sewerage system. Therefore, council does not generally accept the discharge of stormwater to the sewerage system.
Prevention of stormwater ingress at the proposed dump point:

H. ODOUR CONTROL MEASURES IF APPLICABLE	
I. MEASURES TO PREVENT GREASE TRAP WASTE BEING MIXED WITH SEPTIC WASTE	
Grease trap waste is not permitted to be discharged to the sewerage system.	
Please attach a statement that septic tank effluent will not be mixed with grease trap pump-out waste.	
L SECURITY ARRANGEMENTS AT THE REPORCED DISPOSAL POINT IS ARRIVABLE	
J. SECURITY ARRANGEMENTS AT THE PROPOSED DISPOSAL POINT, IF APPLICABLE	
W FOR ROAT (MAARINA FACULTY	
K. FOR BOAT/MARINA FACILITY	
Number of vessels that may utilise the pump-out facility	
□ Commercial □ Private	
Bilge water is not permitted to be discharged to the sewerage system.	